NOTIFICATION OF ADDENDUM ADDENDUM NO. 1 DATED 3/26/2007

Control	0909-29-033, ETC.
Project	BR 2005(908), ETC.
Highway	CS, ETC.
County	HAMILTON

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an adendum notification which details the changes and the respective proposal pages which were added and/ or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

```
SUBJECT: PLANS AND PROPOSAL ADDENDUMS
       PROJECT: BR 2005(908)
                                     CONTROL: 0909-29-033
       COUNTY: HAMILTON
       LETTING: 04/11/2007
       REFERENCE NO: 0326
                          PROPOSAL ADDENDUMS
  PROPOSAL COVER
X BID INSERTS (SH. NO.: 1-5
  GENERAL NOTES (SH. NO.:
X SPEC LIST
              (SH. NO.: 2-3, 3-3
X SPECIAL PROVISIONS:
  ADDED: 006---030, 247---020
       DELETED: 006---029
  SPECIAL SPECIFICATIONS:
  ADDED:
      DELETED:
X OTHER: Plan Sheets
DESCRIPTION OF ABOVE CHANGES
(INCLUDING PLANS SHEET CHANGES)
```

Bid Insert: Sheet 1-5: Added Special Provision Number 247---020 to Item 247-2044.

Specification List: Sheet 2-3: Replaced SP 006---029 with SP 006---030.

Added SP 247---020 to the Spec. List

Sheet 3-3: Replaced due to shifting

Plan Sheets: Revised Plan Sheet 6: SP 247---020 was added to E & Q sheet.

	ITEM-CODE							DEDE
ALT	ITEM NO	DESC CODE	S.P. NO.	UNIT BID PRICE OF WRITTEN IN WOR	UNIT	APPROX QUANTITIES	DEPT USE ONLY	
	100	2002	001	PREPARING ROW and	DOLLARS CENTS	STA	10.290	1
	110	2001		EXCAVATION (ROADWAY) and	DOLLARS CENTS	CY	620.000	2
	132	2006		EMBANKMENT (FINAL)(DENS	CONT)(TY C) DOLLARS CENTS	CY	3,612.000	3
	150	2002		BLADING	DOLLARS CENTS	HR	16.200	4
	164	2009		BROADCAST SEED (TEMP) (Wa	ARM) DOLLARS CENTS	SY	2,686.000	5
	164	2011		BROADCAST SEED (TEMP) (CC	DOL) DOLLARS CENTS	SY	2,686.000	6
	164	2015		STRAW/HAY MLCH SEED(PERM)(RURAL)(CLAY) and	DOLLARS CENTS	SY	5,372.000	7
	168	2001		VEGETATIVE WATERING and	DOLLARS CENTS	MG	43.600	8
	247	2044	020	FL BS (CMP IN PLC)(TY A GR 4)(FNAL POS) DOLLARS CENTS	CY	422.000	9
	310	2001		PRIME COAT (MC-30) and	DOLLARS CENTS	GAL	488.000	10

	ITEM-CODE							
ALT	ITEM NO	DESC CODE	S.P. NO.	UNIT BID PRICE ONLY. WRITTEN IN WORDS		UNIT	APPROX QUANTITIES	DEPT USE ONLY
	316	2174		AGGR(TY-B GR-4 SAC-B) DOLLARS and CENTS		CY	49.000	11
	316	2366		ASPH (AC-15P OR CRS-2P) and	DOLLARS CENTS	GAL	1,716.000	12
	400	2005		CEM STABIL BKFL	DOLLARS CENTS	CY	148.000	13
	416	2003		DRILL SHAFT (30 IN) and	DOLLARS CENTS	LF	232.000	14
	420	2003	003	CL C CONC (ABUT)	DOLLARS CENTS	CY	35.100	15
	420	2004	003	CL C CONC (BENT)	DOLLARS CENTS	CY	31.300	16
	422	2001		REINF CONC SLAB	DOLLARS CENTS	SF	4,810.000	17
	425	2003		PRESTR CONC BEAM (TY C) and	DOLLARS CENTS	LF	736.010	18
	428	2001		CONC SURF TREAT (CLASS I) and	DOLLARS CENTS	SY	504.000	19
	432	2021		RIPRAP (STONE PROTECTION)(18 IN) DOLLARS CENTS	CY	489.000	20
	432	2033		RIPRAP (STONE COMMON)(DR'	Y)(12 IN) DOLLARS CENTS	CY	101.000	21

	ITEM-CODE							DEDE
ALT	ITEM NO	DESC CODE	S.P. NO.	UNIT BID PRICE ON WRITTEN IN WOR		UNIT	APPROX QUANTITIES	DEPT USE ONLY
	432	2040		RIPRAP (MOW STRIP)(5 IN) and	DOLLARS CENTS	CY	6.500	22
	450	2003		RAIL (TY T203) and	DOLLARS CENTS	LF	410.000	23
	450	2063		RAIL TYPE (TY T401) and	DOLLARS CENTS	LF	237.600	24
	454	2004		ARMOR JOINT and	DOLLARS CENTS	LF	44.000	25
	462	2034		CONC BOX CULV (10 FT X 10 F	Γ) DOLLARS CENTS	LF	173.200	26
	466	2056		WINGWALL (PW)(HW=12 FT) and	DOLLARS CENTS	EA	1.000	27
	466	2057		WINGWALL (PW)(HW=13 FT) and	DOLLARS CENTS	EA	1.000	28
	496	2009		REMOV STR (BRIDGE 0-99 FT L	ENGTH) DOLLARS CENTS	EA	1.000	29
	500	2001	002	MOBILIZATION and	DOLLARS CENTS	LS	1.000	30
	502	2001	022	BARRICADES, SIGNS AND TRADLING	DOLLARS CENTS	МО	6.000	31

						<u> </u>	1
AIT	ITEM-CODE)E				DEPT
ALT	ITEM NO	DESC CODE	S.P. NO.	UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	USE ONLY
	506	2001		ROCK FILTER DAMS (INSTALL) (TY 1) DOLLARS and CENTS	LF	139.000	32
	506	2009		ROCK FILTER DAMS (REMOVE) DOLLARS and CENTS	LF	139.000	33
	506	2016		CONSTRUCTION EXITS (INSTALL) (TY 1) DOLLARS and CENTS	SY	156.000	34
	506	2019		CONSTRUCTION EXITS (REMOVE) DOLLARS and CENTS	SY	156.000	35
	506	2030		CONSTRUCTION PERIMETER FENCE DOLLARS and CENTS	LF	95.000	36
	506	2034		TEMPORARY SEDIMENT CONTROL FENCE DOLLARS and CENTS	LF	1,205.000	37
	530	2009		DRIVEWAYS (SURF TREAT) DOLLARS and CENTS	EA	2.000	38
	540	2012	002	MTL BEAM GD FEN TRANS (TL2) DOLLARS and CENTS	EA	4.000	39
	544	2013		GDRAIL END TRT(INSTALL)(HBA POST) DOLLARS and CENTS	EA	4.000	40
	545	2037		CRASH CUSH ATTEN (INSTAL)(BEAT-SSCC) DOLLARS and CENTS	EA	4.000	41
	658	2241		INSTL DEL ASSM (D-SW)SZ 1(FLX)GF2(BI) DOLLARS and CENTS	EA	8.000	42

	ITEM-CODE						DEPT
ALT	ITEM NO	DESC CODE		UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	USE ONLY
	658	2259		INSTL DEL ASSM (D-SW)SZ (TYC)CTB(BI)		8.000	43
				DOLLARS			
				and CENTS			
	4187	2001		REMOV & RELOC EXIST(TRUSS BRG)	LS	1.000	44
				DOLLARS			
				and CENTS			

CONTROL: 0909-29-033, ETC PROJECT: BR 2005(908), ETC

HIGHWAY : CS, ETC COUNTY : HAMILTON

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF

----- TRANSPORTATION JUNE 1, 2004.

STANDARD SPECIFICATIONS ARE INCORPORATED

INTO THE CONTRACT BY REFERENCE.

- ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
- ITEM 100 PREPARING RIGHT OF WAY
- ITEM 110 EXCAVATION (132)
- ITEM 132 EMBANKMENT (100) (210) (216) (400)
- ITEM 150 BLADING
- ITEM 164 SEEDING FOR EROSION CONTROL (166) (168)
- ITEM 168 VEGETATIVE WATERING
- ITEM 247 FLEXIBLE BASE (210)(216)(520)
- ITEM 310 PRIME COAT (300)(316)
- ITEM 316 SURFACE TREATMENTS (210) (300) (302) (520)
- ITEM 400 EXCAVATION AND BACKFILL FOR STRUCTURES (132) (401) (420) (421)
- ITEM 416 DRILLED SHAFT FOUNDATIONS (420) (421) (440) (448)
- ITEM 420 CONCRETE STRUCTURES (400)(421)(427)(438)(448)
- ITEM 422 REINFORCED CONCRETE SLAB (420)(421)(440)
- ITEM 425 PRECAST PRESTRESSED CONCRETE STRUCTURAL MEMBERS (420) (421) (424) (426) (427) (434) (440)
- ITEM 428 CONCRETE SURFACE TREATMENT (427)
- ITEM 432 RIPRAP (420)
- ITEM 450 RAILING (420) (540)
- ITEM 454 BRIDGE EXPANSION JOINTS
- ITEM 462 CONCRETE BOX CULVERTS AND STORM DRAINS (400)
- ITEM 466 HEADWALLS AND WINGWALLS (400) (420) (421) (440)
- ITEM 496 REMOVING STRUCTURES
- ITEM 500 MOBILIZATION
- ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
- ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL CONTROLS (432)
- ITEM 530 INTERSECTIONS, DRIVEWAYS, AND TURNOUTS (247) (316) (330)
- ITEM 540 METAL BEAM GUARD FENCE (421)(445)(529)(542)(544)

```
ITEM 545 CRASH CUSHION ATTENUATORS (421)
ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES (445)
SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
                    PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
                    HEREON WHEREVER IN CONFLICT THEREWITH.
REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS
                  (FORM FHWA 1273, MARCH, 1994)
WAGE RATES
SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000---275)
SPECIAL PROVISION "IMPORTANT NOTICE TO CONTRACTORS" (000---910)
SPECIAL PROVISION "PARTNERING" (000---002)
SPECIAL PROVISION "NOTICE TO ALL BIDDERS" (000---003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
                   ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000---004)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL-AID
                   CONSTRUCTION" (000---461)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
                   CONSTRUCTION CONTRACT SPECIFICATIONS" (000---006)
SPECIAL PROVISION "OPTIONAL TRAINING" (000---807)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
                   (000---009)
SPECIAL PROVISION "DEPARTMENT DIVISION MAILING AND PHYSICAL ADDRESS"
                   (000---011)
SPECIAL PROVISION TO ITEM 1 (001---005)
SPECIAL PROVISION TO ITEM 3 (003---020)
SPECIAL PROVISION TO ITEM 5 (005---004)
SPECIAL PROVISION TO ITEM
                             6 (006---030)
7 (007---213) (007---297)
SPECIAL PROVISIONS TO ITEM
SPECIAL PROVISION TO ITEM
                             8 (008---006)
SPECIAL PROVISION TO ITEM
                             9 (009---009)
SPECIAL PROVISION TO ITEM 100
                                  (100 - - - 001)
SPECIAL PROVISION TO ITEM 247 (247---020)
SPECIAL PROVISION TO ITEM 420 (420---003)
SPECIAL PROVISION TO ITEM 421 (421---024)
SPECIAL PROVISION TO ITEM 434 (434---003)
SPECIAL PROVISION TO ITEM 440 (440---001)
SPECIAL PROVISION TO ITEM 500 (500---002)
SPECIAL PROVISION TO ITEM 502 (502---022)
SPECIAL PROVISION TO ITEM 540 (540---002)
SPECIAL SPECIFICATIONS:
```

ITEM 544 GUARDRAIL END TREATMENTS

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH ----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER

ITEM 4187 REMOVE AND RELOCATE EXISTING TRUSS BRIDGE

PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFICATIONS FOR THIS PROJECT.

SPECIAL PROVISION

006---030

Control of Materials

For this project, Item, Item 006, "Control of Materials," of the Standard Specifications is amended hereby with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 6.9. Recycled Materials is voided and replaced by the following:

The Department will not allow hazardous wastes, as defined in 30 TAC 335, proposed for recycling. Use nonhazardous recyclable materials (NRMs) only if the Specification for the Item does not disallow or restrict use. Determine if NRMs are regulated under 30 TAC 312, 330, 332, 334, or 335, and comply with all general prohibitions and requirements. Use NRMs in accordance with DMS-11000, "Evaluating and Using Nonhazardous Recyclable Materials Guidelines," and furnish all documentation required by that Specification.

Article 6.10. Hazardous Materials is voided and replaced by the following:

Use materials that are free of hazardous materials as defined in Item 1, "Definition of Terms."

Notify the Engineer immediately when a visual observation or odor indicates that materials in required material sources or on sites owned or controlled by the Department may contain hazardous materials. Except in the case of Section 6.10.A.1.a, "Cleaning and Painting Steel" below, the Department is responsible for testing and removing or disposing of hazardous materials not introduced by the Contractor on sites owned or controlled by the Department as indicated below. The plans will indicate locations where paint on steel is suspected to contain hazardous materials and where regulated asbestos containing materials have been found. The Engineer may suspend work wholly or in part during the testing, removal, or disposition of hazardous materials on sites owned or controlled by the Department, except in the case of Section 6.10.A.1.a.

When a visual observation or odor indicates that materials delivered to the work locations by the Contractor may contain hazardous materials, have an approved commercial laboratory test the materials for contamination. Remove, remediate, and dispose of any of these materials found to be contaminated. Testing, removal, and disposition of hazardous materials introduced onto the work locations by the Contractor will be at the Contractor's expense. Working day charges will not be suspended and extensions of working days will not be granted for activities related to handling hazardous material delivered by the Contractor.

- **A. Painted Steel Requirements.** As shown on the plans, existing paint on steel may contain hazardous materials. Perform work in accordance with the following:
 - 1. Removing Paint from Steel.

- **a.** Cleaning and Painting Steel. For contracts that are primarily for painting existing steel, perform the work in accordance with Item 446, "Cleaning and Painting Steel."
- b. Other Contracts. For all other projects when an existing paint must be removed to perform other work, perform paint removal work in accordance with Item 446, "Cleaning and Painting Steel" unless the paint is shown or determined to contain hazardous materials. If the paint is shown or determined to contain hazardous materials, the Department will provide for a separate contractor to remove paint prior to or during the Contract to allow dismantling of the steel for the Contractor's salvaging, reuse, or recycling or where paint must be removed to perform other work. For steel that is dismantled by unbolting, no paint stripping will be required. Use care to not damage existing paint. When dismantling is performed using flame or saw-cutting methods to remove steel elements coated with paint containing hazardous materials, the plans will show stripping locations. Coordinate with the separate contractor for stripping work to be performed during the Contract.
- 2. Removal and Disposal of Painted Steel. For Contracts where painted steel is to be removed and disposed of by the Contractor, painted steel may be reused or disposed of at a steel recycling or smelting facility. If the paint is shown or determined to contain hazardous materials, maintain and make available to the Engineer invoices and other records showing the reuse owner or for recycling, records obtained from the recycling or smelting facility showing the received weight of the steel and the facility name. Painted steel to be retained by the Department will be shown on the plans.
- **B.** Asbestos Requirements. The plans will indicate locations or elements where asbestos containing materials (ACM) have been found. At these locations or at locations where previously unknown ACM has been found, the Department will arrange for abatement by a separate contractor during the Contract. For work at these locations, notify the Engineer of proposed dates of demolition or removal of structural elements with ACM at least 60 days before work is to begin to allow the Department sufficient time to abate the asbestos.

When the work by a separate contractor for removal of paint or asbestos abatement is to be performed during the Contract, provide traffic control as shown on the plans and coordinate and cooperate with the separate contractor. Continue other work detailed in the plans not directly involved in the paint removal or asbestos abatement work. Coordinate with the Department the timing of the separate contractor's work in advance in order to allow the Department to schedule work with the separate contractor. Work for the traffic control and other work will not be paid for directly but will be subsidiary to pertinent Items.

2-2 006---030 01-07

SPECIAL PROVISION

247---020

Flexible Base

For this project, Item 247, "Flexible Base," of the Standard Specifications, is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 247.2. Materials, Section A. Aggregate, Section 3. Recycled Material, Section b. Recycled Material (Including Crushed Concrete) Requirements, Section (1), Contractor Furnished Recycled Materials is supplemented by the following:

Provide recycled materials that have a maximum sulfate content of 3000 ppm when tested in accordance with Tex-145-E.

1-1 247---020 12-06